








A person's world is only as big as his heart. A person's home is only as good as his mind. Have a big heart, be open-minded and push the boundaries, spiritually and physically, from the life space to the details that matter.

Pieno, a switch that pushes the boundaries, for the big-hearted and the open-minded.


Uncluttered design with a distinctive jumbo dolly and an overall slim profile, Pieno has pushed the boundaries of the switch design paradigm. Each dolly fills its space, reaching the edges like no other. The maximized space of the integrated faceplate has enlightened the clean and clutter-free design, and seamlessly fits in to any space. Bold straight lines accented by small curves bring sleekness to the muscular design language. Pieno is yet another switch to aspire to among the wide spectrum of Schneider Electric's design excellence.





Conceived as the perfect combination between form and function, Pieno presents an overall slim profile despite the jumbo dolly, thanks to the innovative SS Mechanism. The 3-degree short throw switching angle is half that of the conventional rocker-type switch, confirming Pieno's status as the "Slim Rocker". The flutter-free switching reduces vibration and sparks, and the switch is operated by a softer press, which delivers a "Sure Click" plus improved durability and reliability.





PerfectFace® Switch Architecture consists of two patented designs that bring unprecedented integrity to the moving parts in rocker-type switches. The dollies and surround are integrated into one piece, removing one installation step while keeping a consistent distance and perfect alignment between dollies and surround. The grid plate is uniquely designed to contour the wall to minimize gaps between the switch and an uneven wall after installation. Moreover, excessive paint on the mechanism can be totally covered by the integrated faceplate to maintain a perfect wall finishing. PerfectFace® Switch Architecture is the perfection of aesthetic value and installation efficiency.





Picture perfect, photo instant







Circular base design Pieno's circular base design can easily fit into the common 60mm diameter wall opening for a faster and more convenient installation in false walls or furniture.

Top quality

Made of corrosion resistant, heat resistant, and impact resistant polycarbonate

IEC, BS, SS, MS, GB, CCC and/or IS compliant

All RoHS compliant



	Product Number	Product Description
Flush Switches		
CONTRACTOR CONTRACTOR CONTRACTOR	E8231L1F	16AX 250V 1 Gang 1 Way Switch with Fluorescent Locator
200 200 200	E8232L1F	16AX 250V 2 Gang 1 Way Switch with Fluorescent Locator
	E8233L1F	16AX 250V 3 Gang 1 Way Switch with Fluorescent Locator
E8231L1F E8232L1F E8233L1F E8234L1F E8231L2F E8232L2F E8233L2F E8234L2F	E8234L1F	10AX 250V 4 Gang 1 Way Switch with Fluorescent Locator
THE PERSON NAMED IN COLUMN	E8231L2F	16AX 250V 1 Gang 2 Way Switch with Fluorescent Locator
	E8232L2F	16AX 250V 2 Gang 2 Way Switch with Fluorescent Locator
E8231L1N E8232L1N E8233L1N E8234L1N	E8233L2F	16AX 250V 3 Gang 2 Way Switch with Fluorescent Locator
E8231L1N E8232L1N E8233L1N E8234L1N	E8234L2F	10AX 250V 4 Gang 2 Way Switch with Fluorescent Locator
	E8231L1N	16AX 250V 1 Gang 1 Way Switch with Neon
	E8232L1N	16AX 250V 2 Gang 1 Way Switch with Neon
E8231BPL1 E8231MF	E8233L1N	16AX 250V 3 Gang 1 Way Switch with Neon
	E8234L1N	10AX 250V 4 Gang 1 Way Switch with Neon
	E8231BPL1	10A 250V 1 Gang Bell Press Switch with Fluorescent Locator
	E8231MF	16AX 250V 1 Gang Intermediate Switch with Fluorescent Locator
Dimmer Switch, Fan Control Switch, Curtain Switch		
	E8232RD450U	450W 240V 1 Gang Dimmer with Switch
AT AT "	E8232V450F	450W 240V 1 Gang Fan Controller with Switch
30 30	E8231CF	10A Mechanical Curtain Switch with Fluorescent Locator
E8232RD450U E8232V450F E8231CF		
Time Delay Switches		
Time Delay Switches	E8231ETR60	200VA Electronic Time Delay Switch (1-60 Minutes Adjustable)
	E8231ETPE	200VA Sound Activated Switch with Off Delay, 2 Wire
4	E8231ETPE4	200VA Sound Activated Switch with Off Delay, 4 Wire
E8231ETR60 E8231ETPE	LOZSIL I FL4	200VA Sound Activated Switch with On Delay, 4 Wile
E8231ETPE4		
Double Pole Switches	E8231D20N	20A 2E0V 1 Cana Daubla Pala Suitch with Noon
	E8232D20N	20A 250V 1 Gang Double Pole Switch with Neon
		20A 250V 2 Gang Double Pole Switch with Neon
E8231D20N E8232D20N E8231D32N E8231D45N	E8231D20N_2	20A 250V 1 Gang 2 Way Double Pole Switch with Neon
E8231D20N_2	E8231D32N	32A 250V 1 Gang Double Pole Switch with Neon
	E8231D45N	45A 250V 1 Gang Double Pole Switch with Neon
Momentary Switches	50074DDI 45	401.050/40
1000 1000	E8231PRL1F	10A 250V 1 Gang Momentary Switch with Fluorsecent Locator
	E8232PRL1F	10A 250V 2 Gang Momentary Switch with Fluorsecent Locator
E8231PRL1F E8232PRL1F E8233PRL1F	E8233PRL1F	10A 250V 3 Gang Momentary Switch with Fluorsecent Locator
Panic Button	50074VDD	
= 1	E8231KPB	Panic Button with Key Reset
■ ↓		
E8231KPB		
Socket Outlets	500400 5	54.050/44.0 7.70 1.0 1.1
	E82426_5	5A 250V 1 Gang 3 Round Pin Socket
	E8215_5N	5A 250V 1 Gang 3 Round Pin Switched Socket with Neon
E82426 E8215 E8215N	E8215_5N_RD	5A 250V 1 Gang 3 Round Pin Switched Socket with Neon, Full Red
E82426 E8215 E8215N E8215DN	E82426	13A 250V 1 Gang Socket
u, u u, u	E8215	13A 250V 1 Gang Switched Socket
** ** ** ** ** **	E8215N	13A 250V 1 Gang Switched Socket with Neon
E82T426 E82T25 E82T25N	E8215N_RD	13A 250V 1 Gang Switched Socket with Neon, Full Red
E82T2SDN	E82T426	13A 250V Twin Gang Socket
B B	E82T25	13A 250V Twin Gang Switched Socket
	E82T25N	13A 250V Twin Gang Switched Socket with Neon
E8215DRC E82T25DRC	E8215DN	13A 250V 1 Gang Double Pole Switched Socket with Neon and Dual Earth Terminal
	E82T25DN	13A 250V Twin Gang Double Pole Switched Socket with Neon and Dual Earth Terminal
	E8215DRC	13A 250V 1 Gang Double Pole Switched RCD Socket
	E82T25DRC	13A 250V Twin Gang Double Pole Switched RCD Socket
E82426_5 E82426_15 E8215_15N E82426_16S	E82426_15	15A 250V 1 Gang 3 Round Pin Socket
	E001E 1E	

Connection and Control Units



 E8231TB
 25A 250V 1 Gang Connection Unit

 E82554
 45A 250V 1 Gang Connection Unit

 E82T15D45N
 45A 250V Double Pole Switch with Neon + 13A Switched Socket with Neon

15A 250V 1 Gang 3 Round Pin Switched Socket

16A 250V 1 Gang Schuko Socket

15A 250V 1 Gang 3 Round Pin Switched Socket with Neon

15A 250V 1 Gang 3 Round Pin Switched Socket with Neon, Full Red

E8215_15

E8215_15N

E82426_16S

E8215_15N_RD

Product Description Product Number Fused Connection Units F8230FSG 13A 250V 1 Gang Fused Connection Unit F8230FSGN 13A 250V 1 Gang Fused Connection Unit with Neon E8231DFSGN 13A 250V 1 Gang Fused Connection Unit with Double Pole Switch and Neon E8230FSG E8230FSGN E8231DFSGN E8231TVM 1 Gang TV Socket Master, 75 Q5-860MHz E8231TVS 1 Gang TV Socket Slave, 75 ♀5-860MHz E8231TV 1 Gang TV Socket, 75 ΩThrough-Connection E8231TV E8232TV E8231TVMF E8232TVF 2 Gang TV Socket, 75 Ω Through-Connection E8232TV F8231TVMF 1 Gang TV Socket Master, 5-1000 MHz, F Connection E8231TVSF 1 Gang TV Socket Slave, 5-1000 MHz, F Connection ø . . E8231TVF 1 Gang CATV Socket E8231TVF E8232TVFMM E8233SMAT E8232TVF 2 Gang TV Socket, F Connection F8232TVFMM 2 Gang TV Master/FM Socket 0 -. -E8233SMATV TV/FM/SAT TV Socket, F Connection, Triangle Arrangement E8232TVRJS_5 1 Gang TV + RJ45 Data Outlet, Category 5e, Keystone on Shuttered Wallplate E8232TVRJS E8232TVRJS 5 E8232TVFRJS E8232TVFRJS_5 F8231R IS F8232R IS E8232TVFRJS_5 1 Gang TV F Connection + RJ45 Data Outlet, Category 5e, Keystone on E8232RJS4 E8232RJS_5 Shuttered Wallplate E8232TVRJS 1 Gang TV + RJ45 Data Outlet, Keystone on Shuttered Wallplate (without Module) . . F8232TVFR IS 1 Gang TV F Connection + RJ45 Data Outlet, Keystone on Shuttered Wallplate . . (without Module) E8231RCA_S E8231VC_5 E8231SC E8232SC F8231R IS 1 Gang Shuttered Keystone Wallplate (without Module) E8232RJS 2 Gang Shuttered Keystone Wallplate (without Module) E8231RJS4 1 Gang Telephone Socket, Keystone on Shuttered Wallplate F8232R IS4 2 Gang Telephone Socket, Keystone on Shuttered Wallplate E8233RGB E8232HDUSB E8232HD15PH F8231RJS 5 1 Gang RJ45 Data Outlet, Category 5e, Keystone on Shuttered Wallplate E8232RJS_5 2 Gang RJ45 Data Outlet, Category 5e, Keystone on Shuttered Wallplate E8232TDRJS_5 1 Gang Telephone + RJ45 Data Outlet, Category 5e, Keystone on Shuttered Wallplate F8231VC 5 5W Volume control, 8 O E8231SC Speaker Connection, One Pair E8232SC Speaker Connection, Two Pairs E8231RCA_S RCA and S-Video Socket E8233RGB Component Video Socket E8232HDUSB HDMI and USB Socket E8232HD15PH VGA and Mini Audio Socket Hotel Accessorie 250V Illuminated "Privacy", "Please Clean Up" & "Please Wait" Symbols F8231DMW E8231BPDMW 10A 250V 1 Gang Bell Switch with Illuminated "Privacy", "Please Clean Up" & "Please Wait" Symbols E8231DS 16AX 1 Gang Switch with Neon with "Privacy" Symbol E8231DS E8231BPDMW E8231WS 16AX 1 Gang Switch with Neon with "Please Wait" Symbol E8231CS 16AX 1 Gang Switch with Neon with "Please Clean Up" Symbol Œ 16AX 3 Gang Switch with Neon with "Privacy", "Please Clean Up" & "Please Wait" Symbols F8233DMWS E8233DMWS E8231EKT E82T727H F8231FKT 16A 250V Electronic Key Card Switch with Time Delay E82T727H 115V/240V Universal Shaver Unit, Horizontal E82T727V E82T727V 115V/240V Universal Shaver Unit, Vertical Flush Plates and Accessorie E8230X 1 Gang Blank Plate F8230TX Twin Gang Blank Plate E8231X 1 Gang Blank Plate with 30M Hole F8230X F8230TX F8231X F8232X E8232X 2 Gang Blank Plate with 30M Hole Night Foot Lamp E8290FLW Night Foot Lamp with LED Illumination E8290FLW

Color Availability





White

Lavender Silv





About Schneider Electric

As the global specialist in energy management with operations in more than 100 countries, Schneider Electric offers integrated solutions across multiple market segments, including leadership positions in energy and infrastructure, industrial processes, building automation, and data centres/networks, as well as a broad presence in residential applications. Focused on making energy safe, reliable, and efficient, the company's 110,000 plus employees achieved sales of 19.6 billion euros in 2010, through an active commitment to help individuals and organizations "Make the most of their energy".

The LifeSpace Business of Schneider Electric provides solutions that represent the best in lifestyle and innovation for offices, hotels and homes. These solutions include award-winning products in the areas of building and home automation, structured cabling, and designer switches and sockets. They help the finest architectures around the world to achieve more with less.

www.schneider-electric.com

