

Schneider Electric

施耐德電氣

in-stan-ding / n'stænd ŋ / n 1 The wisdom of being able to distinguish exquisite from extravagant, substantial from superficial, and truly outstanding from merely standing out; 2 The ability to mix and match the best in life without being constrained by hype or stereotype; 3 The self-confidence that comes from being able to live with the approval of one's inner soul rather than conforming to peer-pressure; 4 A refusal to simply follow the crowd. adj A state of displaying in-standing characteristics, esp. in relation to behaviour or lifestyle



THE REVOLUTIONARY FULL-FLAT SWITCH

The Full-Flat form factor has redefined many facets in life. Aeroplane seats. TVs. Mobile phones. Electric stoves... And now switches.

Aesthetically pleasing flat switches are in fact available. But only exclusive to luxurious electronic switches and lighting automation systems. The ZENcelo Full-Flat switch has been created for the majority who use electro-mechanical switches. Even on switches you never imagined can be Full-Flat...

With ZENcelo, luxury is no longer defined by price. But by wisdom - and style.












ENABLED BY A NEW PHYSICS


Switch designs are limited by many factors, primarily the switch mechanism. The patented "impress" (iso-motion-press) mechanism ensures the switch dolly remains stationary when it is "on" or "off", and at the same time occupying a much smaller footprint. Freedom in design has become a reality.


Enabled by impress.mechanism, ZENcelo makes the future flatter than you ever imagined.











COLOUR OPTIONS THAT ARE ANYTHING BUT FLAT

Comes in a chameleon-like palette of colours. Seamlessly blends with even the most highly stylised contemporary setting.

Standard fascias include the timeless white and the zenattuned silver bronze.

Plus hundreds of customizable Colour Imagination options.










INDICATE THE CURRENT STATUS

Form does not sacrifice function. Knowing when the Full-Flat switch is turned on is not taken for granted.

The patent-pending "Ondicator" changes to marigold when turned "on". And blends into the same colour as the dolly when "off".

Meticulously designed to the finest detail – Not only for looks, but also for practicality.






OUTSTANDING HOSPITALITY FOR THE BLEISURE AGE

Nowadays, people are "always on" even when they are traveling. Hotels which want to deliver a satisfying experience to their room guests will install the latest in power, connectivity and service management. It is all the better when these are done in style.









PICTURE PERFECT

It is a simple but ingenious idea that allows the aligning of multiple switches and sockets in a perfectly straight, evenly-spaced line. Thanks to the system's specially designed connectors, surrounds and grid plate structures, there is ultimately no limit to the number of switches or sockets you can line up. As a result, it's now easier than ever before to realize superior aesthetic quality in both your hardware and installations.









EMBRACE QUALITY

Made of corrosion resistant, heat resistant and impact resistant polycarbonate.

Data socket with patented integrated shutter.

Electrical socket with reinforced-nylon protective shutter.

Switches are electric arc encapsulated.

Philips head screw to fit both flat and cross head screwdrivers.

Switches tested to 80,000 times. Sockets tested to 15,000 cycles. Durable to last more than a decade.

IEC, BS, SS, MS, GB, CCC and/or IS compliant.

All RoHS compliant.





	Product Number	Product Description	
Switches			
	E8431/1	16AX 1 Gang 1 Way Full-Flat Switch with Ondicator	
	E8431/2	16AX 1 Gang 2 Way Full-Flat Switch	
E8431/1 E8432/1 E8433/1	E8432/1	16AX 2 Gang 1 Way Full-Flat Switch with Ondicator	
	E8432/2	16AX 2 Gang 2 Way Full-Flat Switch	
1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	E8433/1	16AX 3 Gang 1 Way Full-Flat Switch with Ondicator	
E8434/1 E8431/I E8431BP1	E8433/2	16AX 3 Gang 2 Way Full-Flat Switch	
	E8434/1	16AX 4 Gang 1 Way Full-Flat Switch with Ondicator	
	E8431/I	16AX 1 Gang Full-Flat Intermediate Switch	
	E8431BP1	10A Full-Flat Bell Switch	
Dimmer			
	E8431EPD4	1 Gang 350VA, 50Hz Full-Flat Universal Dimmer with LED	
	E8432EPD3	2 Gang 300VA, 50Hz Full-Flat Universal Dimmer with LED	
E8431EPD4 E8432EPD3	E84752D500T	IR Remote Control Universal Dimmer (with Remote Control)	
E84752D500T			
Energy-Saving Occupancy Switches			
	E84731MS2A_WE	90º Passivl Infrared Switch (2 Wires)	
	E84751MS3A_WE	90º Pass Infrared Switch (3 Wires)	
E84731MS2A_WE			
Double Pole Switches			
	E8431D20	20A 1 Gang Full-Flat Double Pole Switch with Neon	
	E8431D20/2	20A 1 Gang 2 Way Full-Flat Double Pole Switch with Neon	
E8431D20 E8432D20 E8431D32	E8432D20	20A 2 Gang Full-Flat Double Pole Switch with Neon	
	E8431D32	32A 1 Gang Full-Flat Double Pole Rocker Switch with Neon	
	E8431D45	45A 1 Gang Full-Flat Double Pole Rocker Switch with Neo	
E8431D45			
Socket Outlets	F0.4400	400.4.00	
	E84426	13A 1 Gang Socket	
	E8415	13A 1 Gang Switched Socket with Ondicator	
E84426 E8415 E8415N	E8415N E84T426	13A 1 Gang Switched Socket with Neon	
5.5	E84T25	13A Twin Gang Socket	
E84T426 E84T25	E84T25N	13A Twin Gang Switched Socket with Ondicator	
	E84T15D45N	13A Twin Gang Switched Socket with Neon 45A Full-Flat Double Pole Switch with Neon + 13A Switched Socket	
<u></u>	LOTTIODTOIN	15. That Pound Fold Strict Will I World From Switchied Gooker	

Product Number Product Description Connection Unit & Fused Connection Units E8431TB 25A Connection Unit E84554 45A Connection Unit 13A Fused Connection Unit E8430FSG E8431TB E8430FSG E8430FSGN 13A Fused Connection Unit with Neon E8431DFSGN 13A Fused Connection Unit with Switch and Neon E8430FSGN F8431DESGN Telecommunication Accessories E8431TVM 1 Gang TV Socket Master E8431TVS 1 Gang TV Socket Slave E8432TVS 2 Gang TV Socket Slave E8431TVM E8432TVFMM E8431RJS4 E8432TVFMM 2 Gang TV/FM Master Socket E8431RJS4 1 Gang RJ11 4 Pin Telephone Socket on Shuttered Wallplate E8432RJS4 F8431BJS/5 E8432RJS4 2 Gang RJ11 4 Pin Telephone Socket on Shuttered Wallplate E8431RJ/5 1 Gang RJ45 8 Pin Data Outlet Category 5e with Integrated Shutter E8431RJ/6 1 Gang RJ45 8 Pin Data Outlet Category 6 with Integrated Shutter E8432RJ/5 E8432RJS/5 E8432TDRJ/5 E8431RJS/5 1 Gang RJ45 8 Pin Data Outlet Category 5e on Shuttered Wallplate E8431RJS/6 1 Gang RJ45 8 Pin Data Outlet Category 6 on Shuttered Wallplate E8432RJ/5 2 Gang RJ45 8 Pin Data Outlet Category 5e with Integrated Shutter F8432TDRJS/5 E8432RJ/6 2 Gang RJ45 8 Pin Data Outlet Category 6 with Integrated Shutter E8432RJS/5 2 Gang RJ45 8 Pin Data Outlet Category 5e on Shuttered Wallplate E8432RJS/6 2 Gang RJ45 8 Pin Data Outlet Category 6 on Shuttered Wallplate E8432TDRJ/5 2 Gang RJ11 4 Pin Telephone + RJ45 8 Pin Data Outlet Category 5e with Integrated Shutter E8432TDRJ/6 2 Gang RJ11 4 Pin Telephone + RJ45 8 Pin Data Outlet Category 6 with Integrated Shutter E8432TDRJS/5 2 Gang RJ11 4 Pin Telephone + RJ45 8 Pin Data Outlet Category 5e on Shuttered Wallplate E8432TDRJS/6 2 Gang RJ11 4 Pin Telephone + RJ45 8 Pin Data Outlet Category 6 on Shuttered Wallplate E8431RJ 1 Gang Wallplate without Modular Jack E8431RJS 1 Gang Shuttered Wallplate without Modular Jack E8432RJ 2 Gang Wallplate without Modular Jack E8432RJS 2 Gang Shuttered Wallplate without Modular Jack Plates E8430X 1 Gang Blank Plate Twin Gang Blank Plate E8430TX F8430X F8430TX Colour Availability WE = White


	Product Number	Product Description
Hotel Series#		
	E84MAP9*#	Standard MAP Panel Base Unit (False Wall)
	E84MAPHU9*#	MAP Panel Base Unit with HDMI/USB (False Wall)
E84MAP9 E84MAPS	E84MAPS*#	Standard MAP Panel Base Unit (Solid Wall)
	E84MAPHUS*#	MAP Panel Base Unit with HDMI/USB (Solid Wall)
E84MAPHU9	E8431LV*	1 Gang Tactile Switch with LED Status Indicator
E84MAPHUS	E8432LV*	2 Gang Tactile Switch with LED Status Indicator
-	E8433LV*	3 Gang Tactile Switch with LED Status Indicator
E8431LV E8432LV E8433LV	E8432CLV*	2 Gang Tactile Switch with Curtain Open & Close Symbol
0.0	E8433CLV*	3 Gang Tactile Switch with Curtain Open/Half/Close Symbol
4-	E8431EKTLV*	Electronic Key Card Time Delay Switch
E8432CLV E8433CLV	E8431DSLV*	1 Gang Tactile Switch with "Do Not Disturb" Icon
- 1	E8431WSLV*	1 Gang Tactile Switch with "Please Wait" Icon
FORMERTIN FORMACINA FORMACINA	E8432DMSLV*	2 Gang Tactile Switch with Illuminated "Do Not Disturb" & "Please Clean Up" Symbols
E8431EKTLV E8431DSLV E8431WSLV	E8431BDMLV*	1 Gang Full-Flat Bell Switch with Illuminated "Do Not Disturb" & "Please Clean Up"
10 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		Symbols
E8432DMSLV E8431BDMLV E8431BDWLV	E8431BDWLV*	1 Gang Full-Flat Bell Switch with Illuminated "Do Not Disturb" & "Please Wait" Symbols
	E8431EKT	Electronic Key Card Switch with Indicator
	E8431DS	Full-Flat Control Switch with Illuminated "Do Not Disturb" Symbol
E8431EKTLV E8341DS E8432DMS	E8432DMS	Full-Flat Control Switch with Illuminated "Do Not Disturb" & "Please Clean Up"
		Symbols
	E8432DM	Illuminated "Do Not Disturb" & "Please Clean Up" Symbols
E8432DM E8431BPD E8431BPM	E8431BPD	Full-Flat Bell Press Switch with Illuminated "Do Not Disturb" Symbol
1.6	E8431BPM	Full-Flat Bell Press Switch with Illuminated "Please Clean Up" Symbol
E8431BPDM	E8431BPDM	Full-Flat Bell Press Switch with Illuminated "Do Not Distrub" & "Please Clean Up"
LO431DI DIVI		Symbols
Shaver Unit		
	E84T727V	Shaver Unit 115/240V
<u>g</u>		
FOATTOTAL		
E84T727V		

Colour Availability

WE = White

SZ = Silver Bronze SA = Silver Satin CT = Coares Titanium#

[#] Colour Availability for MAP Panel Only



THE ARTFUL HAND -4

An outstanding person adds value to the work and life of other people, always doing the right thing at the right place, with a just-right degree of visibility. After all, the art of addition is not about shouting out loud. It's about an in-standing way of being.

ZENcelo, the revolutionary Full-Flat switch for an in-standing interior design.







About Schneider Electric

As a global specialist in energy management with operations in more than 100 countries, Schneider Electric offers integrated solutions across multiple market segments, including leadership positions in energy and infrastructure, industrial processes, building automation, and data centres/networks, as well as a broad presence in residential applications. Focused on making energy safe, reliable, and efficient, the company's 110,000 plus employees achieved sales of 19.6 billion euros in 2010, through an active commitment to help individuals and organizations "Make the most of their energy."

www.schneider-electric.com

Schneider Electric (HK) Ltd.

13th Floor, East Wing, Warwick House, Taikoo Place, 979 King's Road, Quarry Bay, Hong Kong
Tel: (852)2565 0621 Fax: (852)2811 1029
Customer Care Centre: (852)2579 9699
www.schneider-electric.com.hk

Suite D, 13th Floor, The Macau Square,
Avenida do Infante D. Henrique, No. 47-53, Macau

Tel: (853)2871 7488 Fax: (853)2871 7499

Macau Branch Office: